



# National Stock Numbers

Revised 04-February-2025

553 STATE ROUTE 143, WESTERLO, NY 12193  
TELEPHONE (518) 797-3791 \* FAX (800) 733-5464

N.S. Number	Description	Hannay #
1730-00-451-1894	Model C1150; Storage Only	22-14
2040-01-295-5301	HS-45 (Undrilled)	9922.0012
2590-01-151-2693	GR-4 Guide Arm	9951.0010
2590-01-151-7780	GR-4A Guide Arm Positioner	9951.0009
2590-01-158-9355	10.25" Brace, back	9907.7000
2590-01-158-9356	1 1/2" Rollform Side Frame (No Motor Plate) (for 23-24 Discs)	9906.1201
2590-01-175-7096	12-1/2" Long	9907.7000
2590-01-176-0560	1 1/2" Rollform Side Frame (No Motor Plate) (for 30-31 Discs)	9906.1201
2590-01-511-2941	AVC1516-17-18; Paint Black	13-36
2590-01-569-6582	MOTOR MTG PLATE RIGHT ANGLE FOR 1500 FRAME W/MTG BOLTS E-COATED STEEL (PER P66A-00090)	9923.0006
2990-01-506-1103	Gear Guard w/Pad (Steel E-Coated)	9914.0618
3010-01-289-1637	4" Form Sprag Clutch	9948.0024
3020-00-326-4787	9T35, 1" Long	9910.1011
3020-00-547-0416	Sprocket	9910.1116
3020-01-148-9546	H-28 ring gear	9914.0382
3020-01-160-4983	H-29 Pinion Gear (Zinc Alloy)	9914.0404
3020-01-161-0230	H-28	9914.0382
3020-01-161-2755	Ratchet Wheel (2 Position) 180 Deg Includes (6) 1/4" x 1/2" Bolts	9922.0015
3020-01-212-7604	10' Length #35 Chain w/Connecting Link	9912.0001
3020-01-213-1189	138T35 Disc Sprocket, 13-3/8" Diameter (E-Coated)	9910.1423
3020-01-213-8718	11T35 sprocket 1-5/16" long	9910.1118
3020-01-221-8936	H-26 Ring Gear	9914.0372
3020-01-244-2514	10' Length #35 Chain with Connecting Link	9912.0001
3020-01-254-4942	#35 Chain for 23-24 Disc 1" & 1 1/2" Reel 53-3/16" Long 142 Links w/Connecting Link	9912.0030
3020-01-288-5316	Reduction Unit Spkt 12T41 with 3/4" Bore	9948.0028
3020-01-288-5317	Reduction Unit Spkt 48T35	9948.0043
3020-01-289-7464	112T35 DISC SPROCKET, 13-3/8" DIA (E-COATED)	9910.1321
3020-01-290-1099	H-28 ring gear	9914.0382
3020-01-290-1100	H-29 Pinion Gear	9914.0403
3020-01-355-3003	12/48 Reduction Unit with Clutch #41/35 chain	9948.0013
3020-01-439-0942	Ratchet Wheel (2) Position 180 Deg Includes (6) 1/4" x 1/2" Bolts	9922.0015
3020-01-464-2370	H-26 Ring Gear	9914.0372
3020-01-517-5766	11T35 SPROCKET, 1-3/4" LONG (PLATED)	9910.1119
3020-01-659-4888	RXXFF-0113-72B (SPROCKET WHEEL) 14T35 3/4" long x 3/4" bore	
3020-01-659-4889	138T35 DISC SROCKET 16-5/8" DIA (CHROME SILVER)	9910.1447



# National Stock Numbers

*Revised 04-February-2025*

553 STATE ROUTE 143, WESTERLO, NY 12193  
TELEPHONE (518) 797-3791 \* FAX (800) 733-5464

N.S. Number	Description	Hannay #
3020-01-659-4936	RxxFF-0113-06 #35 chain 55.5" long with a connecting link	
3030-01-558-4061	EH-660 Ratchet Wheel w/Bearing f/HGR Reels - Includes (6) 1/4" x 1/2" Bolts	9951.0039
3040-01-130-4541	H-30A Brake Wheel (Zinc Alloy)	9914.0413
3040-01-161-0060	Ratchet locking assembly	9922.0321
3040-01-161-1263	Pinion shaft (steel)	9914.0250
3040-01-161-1353	GR-658 pawl & pin with spring	9951.0006
3040-01-222-8440	Ratchet Locking Assembly	9922.0005
3040-01-267-8768	Ratchet locking assembly for N Series	9922.0029
3040-01-289-7442	Pinion shaft collar with set screw	9914.0351
3040-01-289-9625	H-3 Brake pad	9914.0433
3040-01-290-1436	Manual Rewind Assy w/H-29 (for Reels Over 25-26 Series)	9914.0210
3040-01-308-0566	H-3 Brake pad	9914.0433
3040-01-366-0781	Ratchet Locking Assembly	9922.0005
3040-01-429-5360	Pinion Shaft (Steel) Spec. Length	9914.0250
3040-01-434-2135	(25-26) 24.75" Dia. Disc 14 Gauge E-Coat (Specify Model & Front, Back)	9903.1321
3040-01-439-0035	Roller Rod SS 1/4" Dia x 2-11/16" Long	9940.0009
3040-01-464-2345	Pinion Shaft (Spec. Length)	9914.0250
3040-01-515-3730	H-27 PINION GEAR (ZINK ALLOY)	9914.0393
3040-01-517-5767	Length #35 Chain 43 1/2" Long 116 Links with Conn Link	9912.0028
3040-01-518-1946	1.5" HUB ASSY FOR POWER 1600 (PER P32A-00040) ~SPEC MODEL	9955.0076
3040-01-529-7253	1/2" Dual Barstock Steel Hub Assy, Specify Reel Model & Riser Fittings	9901.0671
3040-01-558-7151	Arbor for HGR or SCR, Specify 1.75" or 2.25" Diameter	9951.0029
3040-01-587-9788	1.5" STR VIC CHROME-PLATED BRONZE 80 PSI H-5 JOINT	9930.5703
3040-01-595-9357	N Series Single Roller Arm Only (P70A-00250), Spec. Model	9941.0030
3110-01-122-5339	1" self-aligning bearing complete	9902.1400
3110-01-131-2120	S.A. Bearing holder (small piece only)	9902.2800
3110-01-155-4254	1" self-aligning bearing complete	9902.1400
3110-01-159-6477	S.A. Bearing holder	9902.2800
3110-01-161-1309	H-2A Pinion Shaft Bearing	9914.0243
3110-01-166-2596	Needle bearing with bushing for HGR	9951.0019
3110-01-166-3603	1" ID x 2" OD ball bearing	9902.3400
3110-01-174-2599	1" S.A. Bearing Insert Plated	9902.1500
3110-01-212-4412	1" S.A. bearing insert plated	9902.1500
3110-01-245-0126	FH303-15-1/2 trunnion bearing (old style)	9940.0007
3110-01-287-7246	Reduction unit bearing with ext. inner race	9948.0016



# National Stock Numbers

Revised 04-February-2025

553 STATE ROUTE 143, WESTERLO, NY 12193  
TELEPHONE (518) 797-3791 \* FAX (800) 733-5464

N.S. Number	Description	Hannay #
3110-01-287-7247	Reduction unit bearing	9948.0017
3110-01-289-1937	PSC-1 pinion shaft collar & set screw	9914.0351
3110-01-312-3660	Needle bearing with bushing for HGR (KN-060910)	9951.0019
3110-01-312-3854	Self-aligning bearing holder E-coated (small piece only)	9902.2800
3110-01-312-3855	S.A. bearing holder for "N" Series	9902.2801
3110-01-466-1563	EH-650 mounting block	9940.0075
3110-01-529-7928	1 1/2" Trunnion Bearing New Style (Per P04A-00050)	9940.0016
3110-01-593-6431	FH-305 2" Stainless Steel Roller Tubing ~ Per Inch	9940.0010
3110-01-595-3564	1" S.A. N-SERIES BEARING COMPLETE	9902.2600
3120-01-096-7024	1" S.A. bearing insert plated	9902.1500
3120-01-147-9708	H-2A Pinion Shaft Bearing	9914.0243
3120-01-155-2561	1 " S.A. bearing insert, plated	9902.1500
3120-01-156-6331	1" S.A. bearing insert, plated	9902.1500
3120-01-287-7361	H43 3" bearings	9902.2400
3120-01-288-9451	1/2" self-aligning bearing complete w/ball bearing insert	9902.1200
3120-01-288-9452	FH-303-15 1 1/2" Trunnion Bearing (Old Style)	9940.0007
3120-01-309-4297	1 1/2" S.A. bearing complete	9902.1610
3120-01-309-6991	1-1/2" bronze bearing insert (with graphite lubricating sys)	9902.1700
3120-01-314-5326	Spring arbor for C/B/G/J Springs	9922.0002
3120-01-517-4232	1-1/2" (1.5") S.A. BALL BEARING INSERT	9902.4001
3120-01-517-4246	1-1/2" (1.5") S.A. BALL BEARING COMPLETE	9902.4000
3120-01-558-7188	Double EH936 Washer with 2" O.D. x 1" I.D. Ball Bearing & Rivets	9955.0175
3130-01-063-9762	1" S.A. bronze bearing complete E-coated (top & bottom strap style, with grease fitting)	9902.1630
3130-01-131-2128	Self-aligning pillow block piece	9902.2900
3130-01-135-9331	S.A.Bearing Pillow Block Piece, E-Coated	9902.2900
3130-01-155-6681	S.A. Bearing, Insert Plated	9902.2900
3130-01-588-8249	Assembly "C" Roller Per Dwg RDD-0225 Rev B, X = 18", Y = 12"	9939.0062
3830-01-475-0597	S.A. Bearing Holder, E-Coated (Small Piece Only)	9902.2800
3895-00-009-5295	C26-33-34-20 RT; bevel gear crank storage, prime, graphite	
3895-01-147-7489	SCR716-23-24B SR; 3 Conductor 45 Amp, Paint Graphite	
3895-01-161-0084	Hub w/arbor & set screw f/HGR	9951.0027
3895-01-174-1305	14-1/4" HGR disc w/GR-3 ratchet & bearing	9951.0040
3895-01-174-3726	14-1/4" HGR disc w/EH-936 & bearing	9951.0003
3895-01-174-5953	Back frame, channel 23-24	
3895-01-179-6362	1/2" dual barstock steel hub for 617-23-24G SR	9901.0671
3895-01-204-2417	N718-25-26G, TR, less hose	
3895-01-232-0056	C3220-30-32-15.5, manual crank rew. storage reel, pt graphite	



# National Stock Numbers

*Revised 04-February-2025*

553 STATE ROUTE 143, WESTERLO, NY 12193  
TELEPHONE (518) 797-3791 \* FAX (800) 733-5464

N.S. Number	Description	Hannay #
3895-01-269-4856	C16-10-11; Portable Storage Reel, Painted Standard Oven Cured Enamel	16-01
3895-01-305-8039	HGR100-90-15: static grounding reel with 90 ft. galvanized grounding cable, 15 ft. Y branch and cable clamps, paint reel graphite	
3895-01-340-1605	Model RxxC-0013 Rev A, MXC248-51-52-44; #50 chain drive crank rewind, 16T and 96T sprockets, NP bearings, PL-1 pinlock, 2" square tube frame assembly, full chain guard, pre-paint prime prior to assembly, finish paint graphite	
3895-01-436-8721	08-15 C1514-17-18	
3950-01-517-4259	ECR 1618-17-18 RT; 24V 249 MOTOR TO FRONT, 4 CONDUCTOR 45 AMP, PAINT GRAPHITE	
4010-01-086-8239	Length of #35 Chain for 17-18 Series Reel 43 1/2" Long 116 Links with Conn Link	9912.0028
4010-01-164-8449	50 ft. with 10 ft. "Y" with clamps, plastic coated stainless steel cable	9951.0050
4010-01-288-5136	97" length of #41 chain for EPIV45-46	9912.0038
4010-01-587-8486	3/32" 7 x 7 GALVANIZED CABLE COATED TO 3/16"	9951.0052
4030-01-168-4033	GR-5 (HGR) scoop	9951.0012
4030-01-214-6727	1" 90° FxF Super Swivel Jt.	9929.8551
4210-00-211-6410	H-18 Steel Hand Crank	9914.0011
4210-00-978-2010	H-3 Brake Pad	9915.0113
4210-01-125-5643	FH-302 Block	9940.0006
4210-01-125-6421	FH-307 Step Bolt w/Nut & Washers	9940.0012
4210-01-127-3967	FH-301 Spool	9940.0005
4210-01-131-3290	H-3 Brake Pad	9914.0433
4210-01-147-9337	3" FIPT aluminum riser for 20" drum	9901.7462
4210-01-187-7106	EH-714 Roller	9939.0003
4210-01-228-5638	EF24-22-23 RT Per RxxxF-0104	
4210-01-245-0053	EH650 Mounting Block	9940.0076
4210-01-267-8671	"N" Frame Assy for 19-20 Disc (does not include pawl assy or arms) for N617-19-20C SR	9908.0053
4210-01-357-3020	EF24-23-24 RT; 12V 227, horizontal crank rew, 1" su swl, 1" MNST flanged riser, pt graphite	
4210-01-464-2340	1 1/2" Flanged, Iron Pipe Hub Assy (Spec Model & Riser Fitting Size)	9901.2840
4210-01-464-6874	Assy "C" w/1 1/2" Dia Roller for Model 7522-30-31 LT	9939.0062
4210-01-485-3675	FH-304 Roller Rod (Per Inch)	9940.0009
4210-01-568-9086	(17-18) 16.5" DIA DISC 14 GA W/ EH-936 (FOR 1600)	9903.0517
4210-01-654-1928	HDFE 27-25-26 RT, built per drawing RxxFF-0147 REV C, unpolished aluminum	
4230-00-906-7219	4022-17-18; 1" Balanced Pressure Super Swivel, 1" Female Riser, Paint Graphite	
4230-01-180-3751	1" 90° Super Swivel joint ISO-68-16 replaced by ISO-68-42)	9929.8551
4710-01-466-0829	1-1/2" STAINLESS STEEL ROLLER TUBING ~ 7" long	9940.0003
4710-01-571-2139	1 1/2" FIPT Aluminum Riser Only (Includes O-Ring)	9901.3762
4730-00-025-7508	no Quote- part number doesn't exist in our system	9902.2501



# National Stock Numbers

Revised 04-February-2025

553 STATE ROUTE 143, WESTERLO, NY 12193  
TELEPHONE (518) 797-3791 \* FAX (800) 733-5464

N.S. Number	Description	Hannay #
4730-00-278-3383	PLG-1, 1/2" Zinc Plated, Plug w/Counter Sunk Square	9917.0119
4730-00-409-6460	1" Barco buna packing kit (10-62021-01)	9936.0520
4730-00-549-4786	1-1/2" 90 Deg FxFxVic Aluminum 125 PSI OPW Joint	9930.6302
4730-01-086-8420	1/4" barco swivel joint	
4730-01-087-4770	1-1/2" 90 Deg F x F x 2" VIC alum jt	9930.4312
4730-01-099-3102	1" 90° Female x Female Steel 3000 PSI Balance Pressure Super Swivel Joint	9929.8538
4730-01-144-5494	1" 90° FxF Steel 5,000 PSI Super Swivel Joint	9929.8551
4730-01-150-0875	3" 90° FxF Duct 600 PSI OPW Joint	9933.6500
4730-01-160-9833	1/2" 90° MxF 3000 PSI balanced pressure Super Swivel joint	9927.8138
4730-01-178-9658	1 1/2" FIPT Flanged Aluminum Hub Assembly for 16-30-31 for use with H-5 Swivel Joint	9901.3242
4730-01-213-1066	1" Aeroquip Buna-N Pkg. (FF028-16-01)	9936.0510
4730-01-256-1879	WHJ1590 Joint with Buna Seals	9930.4210
4730-01-288-3869	2" str. FxF steel 1000 PSI WHJ22180 joint	9931.4021
4730-01-289-1496	1/2" 90 Degree FxF Steel 5,000 PSI Super Swivel Joint (Aflas, Zerk Fittings, Black Cap)	9927.8551
4730-01-309-3393	WHJ1590 Joint with Buna Seals	9930.4210
4730-01-313-4079	3/4" 90 Deg MxF Steel 4,500 PSI Super Swive Joint	9928.8051
4730-01-314-8846	PLG-2 3/4" Plug	9917.0120
4730-01-384-9146	3" FIPT Aluminum Riser (For 20" Dia Drum)	9901.7462
4730-01-398-5698	1/4" 90° MxF steel 10,000 PSI Super Swivel jt with EPDM seal	9925.8112
4730-01-434-2002		9929.8538
4730-01-529-8135	1/2" 90° MxF Steel 5,000 PSI Super Swivel Jt (Low Temp Buna, Zerk Fitting, Blue Cap)	9927.8152
4730-01-657-8589	RXXFF-0113-36B; 1 1/2" flanged aluminum hub only, with a stainless steel dead end, built per drawing P36A-00370	
4910-01-267-6009	19-20 Disc (specify front or back) (ISO-80-2 front / ISO-80-3 back)	9903.0821
4910-01-269-6009	19-20 Front disc	9903.0821
4910-01-285-1940	MX2030-17-18 RT; MX Chain & Sprocket Manual Rewind, 1/2" Super Swivel Joints, 1/2"Female NPT Risers, Paint Graphite	
4910-01-369-5029	R308 roller assembly for 8" drum width	9939.0105
4930-00-432-9785	1-1/2" iron pipe riser only, specify fitting thread type and size (1-1/2", 1-1/4" or 1")	9901.3760
4930-00-487-0101	3520-25-26-10.5 RT; Direct crank manual rewind, WHJ-1590 inlet swivel with Buna seals, 1 1/2" FNPT riser, Paint Graphite	
4930-01-139-5639	1 1/2" Iron Pipe Riser Only Thread Type & Size (1 1/2", 1 1/4" or 1")	9901.3760
4930-01-147-4185	617-23-24-10.5B or G, SR; 1/2" BP super swivel, 1/2" FNPT risers, paint Graphite	
4930-01-161-1311	"G" spring with arbor	9921.0021
4930-01-165-0829	GR75-75 with 75 ft. yellow jacketed cable, reel painted 24052 I/R/V Fed Std 595 green	
4930-01-168-9574	3024-25-26 RT; 1" 90 Deg Super Joint w/Viton Seals, 1" Female NPT Riser, Paint Graphite	
4930-01-174-1306	Drum, 7-1/2" long	9905.3131



# National Stock Numbers

Revised 04-February-2025

553 STATE ROUTE 143, WESTERLO, NY 12193  
TELEPHONE (518) 797-3791 \* FAX (800) 733-5464

N.S. Number	Description	Hannay #
4930-01-174-4145	1-1/2" FIPT aluminum riser only (includes o-ring)	9901.3762
4930-01-174-4146	Drum 15-1/2" wrap around For Model 617-23-24G SR	9905.0178
4930-01-174-5951	Front disc 23-24	9903.1121
4930-01-174-5952	Back disc 23-24	9903.1121
4930-01-174-9068	(30-31) 28.75" dia disc 14 ga steel (back)	9903.1621
4930-01-174-9069	(30-31) 28.75: dia disc 14 ga steel (front)	9903.1621
4930-01-175-1424	16-30-31LB; Chrome Plated H-5 Joint w/Vict, Alum Hub, Assy "C" Roller Installed 6" High on Vertical, Mounting Holes 7 3/4" C/L to C/L Across, Paint Standard Prime Only	
4930-01-175-1425	16-30-31 RB; Chrome Plated H-5 Joint w/Vict, Vict Alum Hub, Assy "C" Roller Installed 6" High on Vertical, Mtg Holes 7 3/4" C/L to C/L Across, Less Crank Handle, Paint Standard	
4930-01-175-5326	3528-25-26 RT; Removable Direct Crank Rewind, WHJ-1590 Joint, 1 1/2"Female NPT Riser, Paint Graphite	
4930-01-175-6428	Frame for HGR	9906.0741
4930-01-176-0559	10-3/4" stainless steel drum for HGR-50 with mtg hardware	9905.8142
4930-01-200-1031	R205 roller assembly	9939.0102
4930-01-222-4530	Front disc, 25-26 series	9903.1321
4930-01-222-4731	620-25-26-15.5ASR; "A" Spring, 3/4" MxF 90 Deg. Super Swl Jt, (2) 1/2" Male NPT Outlet Risers, (2) with Special Angle for Quick Connects, Less Roller Assy, Rollform Frame, Paint Prime, Special Drum with (2)Tie Bolts Out (Per Dwg Rxxx6-0016 Rev. G)	
4930-01-222-5445	R308 roller assembly	9939.0105
4930-01-222-5456	Disc (25-26) f/620-25-26A	9903.1321
4930-01-222-5457	3/4" dual welded barstock steel hub assy with 1/2 MIPT riser, for 620-25-26-15.5A, SR	9901.1431
4930-01-232-2467	Steel 28-29, 1-1/2" frame	
4930-01-238-7090	3016-25-26 LT; manual axle crank rewind, 1" 90° Super Swivel joint, 1" FNPT riser, painted graphite	
4930-01-243-3572	617-19-20J SR; 1/2" BP Super Swivel joints, 1/2" FNPT risers, less hose, paint standard graphite	
4930-01-267-4380	Drum, 10 1/2" Dia 18 Gauge Steel Wrap (Spec. Model #)	9905.0138
4930-01-267-9427	N205 roller assembly, specify if assembly is for single or double arm	9939.0112
4930-01-268-2169	1/2" FIPT x 3/4" JIC Barstock Dual Hub (Specify Model #N617-19-20CSR)	9901.0671
4930-01-282-4936	1 1/2" Rollform Side Frame, No Motor Plate (Up to 30-31) ~Spec Model	9906.1201
4930-01-282-8636	820-25-26-10.5A SR; 1" BP Super Swivel Inlet, 1" F Riser, Paint Graphite, Less Hose	
4930-01-309-8199	8234-26-27 RT; WHJ-22180 Straight Jt, 2" Female Riser, H-26 Ring Gear, Dual Rewind, 1-Horiz, 1-Vert – Same side, w/Special Crank & Mtg Holes Per Print (Rxx80-0001 Rev. D), Paint Prime	
4930-01-315-8354	8234-26-27 RT; horizontal crank rew., HJ2290 swl jt, 2" F NPT riser, less hose, pt graphite- DO NOT USE THIS NSN #, USE 4930-01-309-8199	
4930-01-361-3676	617-25-26B TR; 1/2" 90° FF Su Swls, 1/2" F Risers, Paint Graphite	
4930-01-439-3484	Roller, 1" dia. X 2" long, per GH-1012B	9940.0180



# National Stock Numbers

Revised 04-February-2025

553 STATE ROUTE 143, WESTERLO, NY 12193  
TELEPHONE (518) 797-3791 \* FAX (800) 733-5464

N.S. Number	Description	Hannay #
4930-01-455-3179	820-30-31A;	
4930-01-473-0949	Static Ground Reels, build to CID50696, with Male Plug, with Socket, Built to MIL0090298, with Clamp, Make to MILC83413/7	
4930-01-539-8939	Roller Bracket Frame for R308	9940.0155
4930-01-569-6595	Steel (E-Coat) 1500/4000 Side Frame	9906.0011
4930-01-569-6650	DRUM, 6" DIA ALUM PIPE *MUST SPECIFY MODEL NUMBER*	9905.7112
4930-01-573-4947	R9820-0042 Rev B- 246-26-27 LT, Bevel gear crank rewind, 2" 90° aluminum Female x Victaulic OPW joint with Viton, 2" female NPT aluminum riser, aluminum internals, paint graphite	
4930-01-645-6974	MGR 75-50; (w/ clear PCC), GRAPHITE	
4940-01-239-2744	4016-17-18 RT; 1" Super Swivel Jt., 1" Female NPT Riser, Painted Graphite	12-16
4940-01-458-6196	N515-23-24J, TR, H10M; ¼" 90° Super Swivel joint, ¼" FNPT riser, paint graphite	
4940-01-482-1083	SBA7030-33-34 RT, H2M; #6 Gast air motor, 1" 90° Super Swivel joints, 1" FNPT risers, plated hub assembly, aluminum square tube frame assembly, horizontal gear crank rewind, polished aluminum construction wherever possible	
4940-01-486-2503	717-25-26B SR; 1/2" MxF Stainless Steel Super Swivel, Stainless Steel Internals, 1/2" FIPT Riser, Aluminum Frame and Spool, Constant Tension, Stainless Steel Spring Case, Per Drawing Rxxx7-0010 Rev B	
4940-01-591-5275	Model 7528-25-26 LB; Man Bevel Gear Rew w/Zinc Alloy Gear, Less H-18 Crank, 1 1/2" 90 Deg Bronze OPW Swl Jt w/Buna Seal, 1 1/2" Female NPT SS Riser, SS Internals, w/PL-4 Pinlock Installed Opposite Side of Swivel Jt to Front, Per Dwg Rxx75-0130, Paint Prime	
5305-00-782-9489	3/8"-16 x 2" Hex Head Cap Screw	9904.1206
5305-01-161-6109	3/18"-16 x 2" Hex Head Cap Screw	9904.1206
5305-01-222-3253	3/8"-16 x ¾" Spinlock Bolt	9904.2201
5305-01-288-9014	3/8"-16 x 1 Spinlock Bolt	9904.2202
5305-01-312-3838	¼" -20 x 3/8 Allen set screw for arbor	9958.0005
5305-01-464-2303	3/8"-16 X 3/4" HEX HEAD CAP SCREW	9904.1201
5305-01-464-2335	5/16" - 18 X 3/4" HEX HEAD CAP SCREW	9904.1101
5305-01-464-2362	1/2"-13 x 1" Hex Head Bolt	9904.1402
5305-01-485-4335	5/6"-18 x ¾" Thread Cutting Hex Head Bolt	9958.0055
5305-01-485-9835	3/8"-16 X 1-1/2" SPINLOCK BOLT	9904.2204
5305-01-485-9846	3/8" -16 x 1 ¼" Spinlock Bolt	9904.2203
5305-01-558-5136	1/4"-20 x 1-5/8" STEEL CARRIAGE BOLT (HGR 50 )	9904.0010
5305-01-661-6536	3/8" STEEL CARRIAGE BOLT W/NUT 21-1/2" LONG	9904.0235
5306-01-134-5721	5/16 -18 x 1 spinlock bolt (motor mtg)	9904.2102
5306-01-166-0718	3/8" Carriage Bolt w/Nut 6" Long	9904.0213
5306-01-223-9705	Bolt w/nut, 9" long	9904.0217
5306-01-269-0586	3/8" carriage bolt w/nut, 9" long	9904.0217
5306-01-288-6476	3/8" -16 x ¾" Steel Carriage Bolt w/Nut for Bearing	9904.0201



# National Stock Numbers

*Revised 04-February-2025*

553 STATE ROUTE 143, WESTERLO, NY 12193  
TELEPHONE (518) 797-3791 \* FAX (800) 733-5464

N.S. Number	Description	Hannay #
5306-01-288-8936	3/8"-16 x 3/4" Spinlock Bolt	9904.2201
5306-01-288-9062	3/8" Steel Carriage Bolt with Nut 34" Long	9904.0252
5306-01-289-2460	3/8"-16 x 1 1/2" Long Hex Bolt	9904.2204
5306-01-289-2580	5/16-18 x 3/4" Hex Head Cap Screw	9904.1101
5306-01-289-2581	7/16" -14 x 1 1/2" Hex Bolt	9904.1304
5306-01-289-2582	7/16" -14 x 1-1/4" hex bolt	9904.1303
5306-01-290-3476	3/8"-16 x 3/4" Steel Carriage Bolt w/Nut for Bearing	9904.0201
5306-01-321-5927	Tension adj. assembly for 4000 Series (does not include spring)	9965.0004
5306-01-464-2367	3/8"-16 x 3/4" Steel Carriage Bolt w/Nut for Bearings	9904.0201
5306-01-485-3607	3/8"-16 x 1" Spinlock Bolt	9904.2202
5306-01-485-9832	3/8" Steel Carriage Bolt with Nut 11" Long *** NO LONGER AVAILABLE ***	9904.0220
5306-01-558-5411	3/8"-16 x 3" Turned Eye Bolt ZGD (1" I.D. x 2 1/2" Thread Length)	9958.0090
5306-01-668-9281	SPACER WASHER FOR REDUCTION UNIT MTG BOLT (1.25" OD x 0.406" ID x 1/4" THICK)	9954.0047
5306-01-671-2114	3/8"-16 X 2-3/4" SPINLOCK BOLT	9904.2262
5310-00-355-5645	3/8" -16 spinlock nut for bearing	9904.6200
5310-00-582-5965	1/4" LOCK WASHER	9954.0028
5310-01-225-1314	3/8" -16 Spinlock Nut for Bearing	9904.6200
5310-01-232-2123	3/8-16 sq. nut drilled 7/16" ID	9958.0035
5310-01-236-7515	EH936 disc washer (E-Coated)	9965.0015
5310-01-288-8904	5/8" -18 SAE hex head nut	9904.5600
5310-01-288-8941	3/8-16 Spinlock Nut	9904.6200
5310-01-289-1764	3/8" -16 Spinlock Nut	9904.6200
5310-01-329-9101	3/8" spin lock nut	9904.6200
5310-01-464-2331	1/2" Lock Washer	9954.0030
5310-01-485-9848	3/8" x 16 Hex Nut	9904.5200
5310-01-515-3732	FH-306 Hex Nut (7/16")	9940.0011
5310-01-517-3717	1/4" -20 Spinlock Nut	9904.6000
5310-01-667-8438	1/4" - 20 Band (Comet) Brake Wing Nut (Bearing MTD)	9947.0095
5315-00-616-5522	Woodruff Key #9 (3/16" x 3/4") for Exp Motor	9951.0007
5315-01-052-4095	Woodruff Key #9 (3/16" x 3/4") for Exp Motor	9916.0080
5315-01-164-6491	Stainless steel cotter key 1/8" x 3/4"	9951.0018
5315-01-312-7696	3/16" x 1" long sq. key	9922.0031
5315-01-670-9306	1/8" x 3/4" SPRING PIN	9958.0049
5325-00-530-7968	1" EXTERNAL RETAINING RING (FOR HGR/CABLE REELS)	9951.0021
5325-01-593-6438	FH-309 Chrome Cap	9940.0004



# National Stock Numbers

*Revised 04-February-2025*

553 STATE ROUTE 143, WESTERLO, NY 12193  
TELEPHONE (518) 797-3791 \* FAX (800) 733-5464

N.S. Number	Description	Hannay #
5330-00-081-9682	1-1/2 H5C rope packing	9936.0659
5330-00-764-5379	3" H-53C Rope Pkg. (3 Pcs. Approx. 11" Long)	9936.0959
5330-01-148-5896	H-300G 3" riser gasket	9965.0023
5330-01-162-8433	H-52C Rope packing	9936.0759
5330-01-244-8969	4" O-ring for 4" riser	9965.0026
5330-01-263-0822	H-5A Packing gland 1-1/2 x vict	9938.0056
5330-01-288-5100	H-300G 3" riser gasket	9965.0023
5330-01-289-7842	PK-1 Buna N packing	9936.0642
5330-01-292-5376	1 1/2" PK-1 Buna-N (US Merkel)	9936.0642
5330-01-309-4299	P53A-00010 Packing Ring	9938.0011
5330-01-396-0380	3" H-53C Rope Pkg	9936.0959
5330-01-417-1532	H-5B follower for H-5A	9938.0061
5330-01-431-9947	H-150G 1 1/2" Riser Gasket	9965.0021
5330-01-464-2336	H-150G 1-1/2" riser gasket	9965.0021
5330-01-517-2887	COLLECTOR COVER GASKET MULTI COND	9943.0004
5330-01-574-3795	H-200G 2" (HI GRADE BUNA) RISER GASKET	9965.0022
5331-01-594-4522	2-5/8" (Buna) O-Ring for 1-1/2" Riser (Also for 2" Aluminum Riser)	9965.0028
5340-00-944-6089	Removable Hand Crank for 4000/3000/1600 (Includes Handle w/Bolt & Nut)	9914.0031
5340-01-129-8990	H-18 Steel Hand Crank	9914.0011
5340-01-141-4076	Removable hand crank	9914.0031
5340-01-158-5354	2 x 2 front foot, specify length	9907.2000
5340-01-158-5355	2x2 rear foot 10.25" long	9907.2000
5340-01-162-3829	Mounting Bracket for Spring	9922.0009
5340-01-171-0444	Rubber sleeve bumper	9951.0013
5340-01-174-3494	2x4 Foot (E-Coated) 12-1/2" Long	9907.3000
5340-01-174-3495	2x4 ft steel 12-1/2" long	9907.3000
5340-01-228-1499	HS-45 Hose Stop (Specify Hose O.D.)	9922.0012
5340-01-249-1088	H-18 Steel Hand Crank	9914.0011
5340-01-268-5538	(P20A-00280) Universal Spring Mounting Bracket for N Series (ISO-80-9)	9922.0050
5340-01-269-4423	HGR50-50-10 PCC; Paint Graphite	
5340-01-309-8485	Removable Hand Crank for 4000/3000/1600 (Includes Handle w/Bolt & Nut)	9914.0031
5340-01-310-4491	Handle	9914.0505
5340-01-321-0541	Removable hand crank for 4000 series reel (includes handle w/bolt & nut)	9914.0031
5340-01-322-6944	H-18 Steel Hand Crank	9914.0011
5340-01-361-2014	HS-3, Undrilled	9922.0111
5340-01-377-2006	Dust Cap	9922.0036
5340-01-480-8773	HS-45 (Specify Hose O.D.)	9922.0012



# National Stock Numbers

*Revised 04-February-2025*

553 STATE ROUTE 143, WESTERLO, NY 12193  
TELEPHONE (518) 797-3791 \* FAX (800) 733-5464

N.S. Number	Description	Hannay #
5340-01-484-6384	H-18 Steel Hand Crank	9914.0011
5340-01-506-1105	H-18 STEEL HAND CRANK, E-COAT (STD 10" LENGTH) (INCLUDES HANDLE W/BOLT & NUT)	9914.0011
5340-01-569-6564	COLLECTOR COVER FOR 4-COND 45A ASSY (5.5" LONG) W/ GASKET & WARNING LABEL	9943.0002
5340-01-570-2983	Collector Assembly Backing Plate w/Bearing Holder	9943.0005
5340-01-596-0869	HS-35 Twin Hose Stop (Specify Hose O.D.)	9922.0210
5340-01-667-1874	PL-1 PINLOCK (E-COATED)	9965.0030
5340-01-670-9309	PL-1 PINLOCK BRACKET ONLY	9965.0035
5340-01-679-6148	H-18 STEEL HAND CRANK, E-COAT (STD 10" LENGTH) (INCLUDES HANDLE W/BOLT & NUT)	9914.0011
5342-00-137-8152	HGR50-0; Paint Graphite	
5355-01-213-7669	H-30A brake wheel	9914.0413
5355-01-290-7622	Black knob for clutch rod	9948.0060
5360-00-060-5349	H-31 Brake Spring	9914.0451
5360-00-906-9782	"A" Spring	9921.0010
5360-01-129-6642	H-31 Brake Spring	9914.0451
5360-01-133-9081	"B" Spring (with Arbor)	9921.0015
5360-01-149-7230	H-31 brake spring	9914.0451
5360-01-156-6246	"G" Spring with Arbor	9921.0021
5360-01-161-6174	HSR B6 spring for HGR50	9921.0023
5360-01-165-4496	Spring E360-037-1250S for HGR	9951.0017
5360-01-180-2405	Tension spring	9965.0002
5360-01-212-7696	H-31 Brake Spring	9914.0451
5360-01-246-9391	"B" Spring (with Arbor)	9921.0015
5360-01-256-2915	H-31 Brake Spring	9914.0451
5360-01-312-7134	Ratchet lock spring	9922.0008
5360-01-315-7080	"A" Spring motor	9921.0010
5360-01-315-8359	A Spring Reversed	9921.0011
5360-01-320-5816	Tension Spring f/4000/1200/2000	9965.0002
5360-01-425-2023	"B" Spring (with Arbor)	9921.0015
5365-01-139-4623	7-1/2" long spacer pipe	9904.3200
5365-01-148-0234	H-143G 3" Alum Disc Washer	9965.0044
5365-01-161-6163	146A Spacer for HGR Reels	
5365-01-164-8135	Special Spacer for HGR	9951.0008
5365-01-164-8357	Spacer pipe 5" long	9904.3200



# National Stock Numbers

*Revised 04-February-2025*

553 STATE ROUTE 143, WESTERLO, NY 12193  
TELEPHONE (518) 797-3791 \* FAX (800) 733-5464

N.S. Number	Description	Hannay #
5365-01-175-0532	7-1/2" long	9904.3200
5365-01-270-1295	3/8" Aluminum Spacer Pipe 8" Long	9904.3200
5365-01-312-7011	P28A-00070 spring mounting spacer	9922.0033
5365-01-312-7039		9954.0021
5365-01-437-9479	1" Hub Spacer Washer (ISOPLAST) 1-7/8" O.D. x 1-5/16" I.D. x 1/8" Thick	9954.0021
5365-01-437-9579	1" Hub Spacer Washer (Isoplast)	9954.0021
5365-01-485-9805	1" THIN HUB SPACER WASHER (PLATED STEEL) 1-7/8" x 1-5/16" x .049" (FOR SPRING REELS)	9954.0019
5365-01-485-9828	3/8" Aluminum Spacer Pipe	9904.3200
5365-01-498-4041	P28A-00210 Roller Mtg. Block Spacer (1.5" x 1.62")	9940.0025
5365-01-517-2851	4 COND 45 AMP ASSY 1-1/2" BORE (UNITED) 600 V	9942.0414
5365-01-517-2853	P28A-00330 Sprocket Spacer Washer	9954.0015
5365-01-517-3433	TENSION BREAK SPACER 5/8" LONG	9965.0007
5365-01-529-8273	P28A-00020 SPRING MTG OVAL SPACER (SA/A/B/D/G)	9922.0032
5835-01-564-4727	AVC 16-10-11; PAINT BLACK	13-16
5930-00-441-4664	90030 Rubber Capped Push Button Switch	9917.0004
5935-01-517-9034	1/2" Cable Clamp (Vinyl Coated)	9955.0015
5940-00-113-9825	#8-1/4" Ring Terminal	9951.0015
5945-01-517-4986	24 Volt Solenoid	9917.0028
5975-01-247-8583	12 volt electrical pkg.	9917.0050
5975-01-568-9302	RED DOT JUNCTION BOX COVER W/SCREWS (FOR ECR1600)	9955.0044
5975-01-569-5942	RED DOT JUNCTION BOX W/3/4" HOLES (FOR 45-AMP 3-COND SERVICE)	9955.0045
5975-01-597-9146	JB Cover Only with Screws (Square)	9917.0033
5999-01-421-6701	100 Amp Cable Clamp	9951.0014
5999-99-151-6469	Brownie ALS-10 Grounding Clamp (Per Mil-C-83413/7)	9951.0031
6105-01-087-6925	#4 AM Gast Air Motor (Flange Mtg) (4 AM NRV-143) with Speed Control Muffler	9918.1122
6105-01-109-0029	12V DC 1/2 HP 650 RPM	9915.0003
6105-01-242-4760	P56SX043	9915.0009
6105-01-245-8204	104 12V DC mtr Exp/Nema C 1 HP/1900 RPM mtr.	9915.0065
6105-01-271-2834	"C" spring	9921.0018
6105-01-355-3357	043 motor 12 volt DC	9915.0009
6105-01-517-7797	AN-239 12V DC Face Mount 1/5 H.P. 420 RPM Motor	9915.0040
6145-01-334-5336	C28-25-26-15.5 RT; Storage Only, Bevel Gear Crank Rewind, Paint Graphite	
6150-01-440-2938	GR75-50; with 50' PCC Cable Installed with Clamp, Paint Graphite	



# National Stock Numbers

*Revised 04-February-2025*

553 STATE ROUTE 143, WESTERLO, NY 12193  
TELEPHONE (518) 797-3791 \* FAX (800) 733-5464

N.S. Number	Description	Hannay #
6150-01-519-1852	716-19-20-10.5J SR; 1/2" 90 DEG MxF BP SU SWL JT W/GLT VITON, 1/2" FNPT RISER, FOOT PER P20A-02322, PER Rxxx7-0049, PAINT GRAPHITE, 1/2" x 50' EATON H245L HOSE INST, 1/2" MNPT x 3/8" MNPT FITTINGS, HS-3 PLASTIC STOP	
6150-01-519-2742	SCR 715-19-20 REV J SR, 3 conductor 45 AMP collector assembly, with 50' of 12/3 yellow Super Vutron cable installed with a Leviton 15W47 connector body installed, HS-3 cable stop installed, Built per RxSCR-0022 REV C, paint graphite	
8130-01-543-4472	AVC1516-17-18; Paint Black	13-36
8130-01-626-6176	AV-3; Storage Only	13-11
8130-01-665-3858	AVF-14	13-30
8130-01-705-9407	ACD2014-17-18 LB, #4 Gast air motor, 1/4" 90 degree male x female BP inlet swivels, (2) 9/16"-18 gas hose thread RH outlet risers, hose restraint, built per KDF3300, Paint Graphite	